

GENERAL INDEX TO VOLUME XXXIX

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italics*; and all other matter in ordinary type.

A

- Acer saccharum*, 168; *saccharinum*, 253
 Africa, history of the tomato in, 330
 Alava, Reino O. Spikelet variation in *Zea Mays*, 65
Amsonia illustris, 253
 Anaerobism, effect of, on growth of *Candida albicans*, 150
 Anderson, Edgar. Foreword to McCue's The history of the use of the tomato, 289
 Andrews, Henry N.: Some American petrified Calamitean stems, 189; and Charles J. Felix. The gametophyte of *Cardiocarpus spinatus* Graham, 127
Anonymos pudica, 225, 226
 Apfel, Liebes oder Gold, 298
 Appel der Liefde, 304
 Apples: amorous, 315; gold, 305; golden, 300; mad, 292; of love, 295, great and small, 317
 Arborescent Lycopods of southeastern Kansas, Study of the, 263
 Arboretum (Missouri Botanical Garden): field study of pokeweed at, 118, distribution of, 119; natural population of *Juniperus* at, 33; Forest quadrat studies at the, 165
 Arica, Chile, prehistoric maize material from, 80, 81
Arthrodendron, 173; *diffusum*, 174
Arthrodendron, 186
Arthropitys, 173, 186, 189, 192, 193, 202; *approximata*, 194, 195; *bistriata*, 194; *bistriatoides*, 195; *communis*, 194, 196, var. *septata*, 196, 206, 208, 210; *ezonata*, 194; *gallica*, 194, 196; *gigas*, 193, 195, 196; *herbaceae*, 196; *Hirmeri*, 195; *Jongmansi*, 195; *kansana*, 190, 199, 210, 214, 216; *lineata*, 195; *medullata*, 195; *porosa*, 199; *rochei*, 195, 199; sp., 200, 212, 216
Arthroxylo, A redefined genus of *Calamite*, 173
Arthroxylo, 173, 186, 189, 192, 202, 205; *oldhamium*, 174, 178, 179, 186; *Williamsonii*, 174, 175, 176, 177, 180, 182, 184, 186, 191, 202, 205, 212, 214, 218, roots associated with, 203
 Asia, history of the use of the tomato in, 334

- Associations, forest tree, at Arboretum, 165
Astromyelon sp., 204, 218
 Auxin, 107

B

- Badinjan, 329
 Banaduro, 333
 Basket makers, maize of, 88
 Bat Cave, New Mexico, prehistoric maize material from, 78, 83, 85
 Bibliography, an annotated, of the history of the use of the tomato, 289
 Brenner, Louis G., Jr. Forest quadrat studies at the Arboretum, and observations on forest succession, 165

C

- Calamite*, A redefined genus of, 173
 Calamitean stems; Some American petrified, 189; from an American coal field, 173
 Calamites, 189; *bistriata*, 194; *multifolia*, 189
Calamodendron, 173, 186, 189, 192, 201; *americanum*, 190, 201, 218; *commune*, 194; *congenium*, 201; *intermedium*, 200, 201; *striatum*, 201
Calamopitrus, 173, 174, 176, 186
Calamopitys, 173, 186
Candida albicans, Factors affecting the morphology of, 137
Candida albicans, 138, 162, 163, 164; media used in study of, 141; morphology of, 138, 162-164, of various strains, 154; physiological characteristics of, 140
Candida vulgaris, 138
 Carboniferous plants, 131, 173, 189, 263
Cardiocarpon, 127; *acutum*, 127; *affine*, 132; *affinis*, 128, 132; *cornutum*, 127; *samaraeforme*, 127
Cardiocarpus, 128; *affinis*, 132, 135; *spinatus*, 127, 128, 129, 130, 132, 134, 135
Cardiocarpus spinatus Graham, The gametophyte of, 127
Carpolithes cordai, 127
Carya Buckleyi, 168
 Chile, prehistoric maize from, 77, 80, 81
 Chinquapin Oak-Red Cedar Association at Arboretum, 170, 171
 Chlorides, effect of, on growth of *Candida albicans*, 153

Classification, Fern, history of, 255
 Coal ball fossils, 127, 173, 189, 263
 Cobaltous nitrate, effect of, on growth of
Candida albicans, 151
Cordaicarpus, 127
Cordaicarpus, 128; spinatus, 128
Cordaites principalis, 127
 Corns, Indian, 65; dent, 65; flint, 65; flour,
 65; pod, 65; pop, 65; sweet, 65
 Culinary uses of the tomato, 291-348
 Cultivated plants, histories of, 289
 Cystein in medium, effect of, on growth
 of *Candida albicans*, 151

D

Delphinium pollen, treatment of *Petunia*
 ovaries with, 98
 Dennstaedtiaceae, 261
Dianthera americanum, 253
 Dietz, Robert A.: The evolution of a gravel
 bar, 249; Variation in the perfoliate
Uvularias, 219
 Diseases caused by fungi, 137
 Drug properties: of pokeweed, 118; of
 tomato, 294-345
 Dye, use of tomato leaves as a, 334

E

Ecology: of a gravel bar, 252; of *Juniperus*
Ashei and *J. virginiana*, 9; of pokeweed,
 115, 126
 Eggplants, 292
 Environment, effect of, on variation in
Uvularia, 236
 Esculent vegetables, see tomato
 Europe, central, history of the use of the
 tomato in, 298; northern, 333
 Evolution of a gravel bar, The, 249

F

Felix, Charles J.: Study of the arborescent
 Lycopods of southeastern Kansas, 263;
 Henry N. Andrews and. The gameto-
 phyte of *Cardiocrarpus spinatus* Graham,
 127
 Fern classification, A sketch of the history
 of, 255
 Filicales, classification of, 255
 Flood control, gravel bars as a means of,
 249
 Floral morphology of Indian corn, 65
 Food plant, the tomato as a, 291-348
 Forest quadrat studies at the Arboretum,
 and observations on forest succession, 165
 Fossils: coal ball, 127, 173, 189, 263; of
Juniperus, 4
 France, history of the use of the tomato in,
 310

French Badinjan, 329
 Fungi, yeast-like, 137

G

Gametophyte of *Cardiocrarpus spinatus*
 Graham, The, 127
 Geography of pokeweed, 113
 Germination of *Petunia* seeds, effect of radi-
 ation on, 104
Glaucium, 300, 303
 Goldäpfel, 304
 Gold apples, 305
 Gold öpfel, 301
 Goldtäpfel, 302
 Gouden Appel, 304
 Grafting tomatoes on potatoes, 324, 346
 Gravel bar, The evolution of a, 249, 251,
 253
 Gray Summit, Mo., investigation of gravel
 bar at, 249—see also Arboretum
 Great Britain, history of the use of the
 tomato in, 315
 Gulden Appelen, 300

H

Hall, Marion Trufant: Variation and
 hybridization in *Juniperus*, 1
 Haploidy, methods of inducing, 97
Heterangium, 272
 Hickory-Oak Association at Arboretum, 168
 History of the use of the tomato: An an-
 notated bibliography, 289
 Hormones in *Petunia* ovaries, 107
 Hybridization: in *Juniperus*, 1, between
J. Ashei and *J. virginiana*, 7
 Hydrogen ion concentration of media, in-
 fluence of, on growth of *Candida albicans*,
 144, 155

I

Illinois, a small calamitean stem from, 198
 Indian corn, see *Zea Mays*
 Indiana, fossil stem from Petersburg, 180
 Introgression: in *Juniperus*, 3; in *Uvularia*,
 236
 Italy, history of the use of the tomato in,
 291

J

Jerusalem Apple, 342
Juniperus, Variation and hybridization in,
 1: distribution of species, 7, 56; geo-
 graphic races of *J. virginiana*, 53, map
 showing, 56; taxonomy of, 5
Juniperus Ashei and *V. virginiana*: distri-
 bution of 7, 7; ecology of, 9; geographic
 distribution of population means, 55;

- hybridization of, 38; introgression in, 3; morphology of, 16, branching, 16, 17, fruit, 24, glands, 22, 35, leaves, 21, 23, 28, lateral whip, 28, terminal whip, 27, 35, microsporangiate strobili, 30, seeds, 61, 64; populations, 49, scatter diagrams of, 54; variability in, 31, pictorialized scatter diagrams, 41-50
- Juniperus*, 1; *Ashei*, 1, 5, 6, 35; *barbadensis*, 1, 4, 5, 6; *californica*, 4; sect. *Caryocedrus*, 4; *communis*, 5; *drupacea*, 4; *horizontalis*, 5; *mexicana*, 1; *monosperma*, 5, 6; *occidentalis*, 4; sect. *Oxycedrus*, 4; *oxycedrus*, 4; *pachyphloea*, 5; *Pinchoti*, 5, 6; sect. *Sabina*, 4; *Sabina*, 5, var. *procumbens*, 6; *scopulorum*, 2, 5, 6, var. *patens*, 6; *virginiana*, 1, 5, 6, 36, var. *ambigens*, 5, 6, var. *Canaerti*, 2, var. *glauca*, 2, var. *horizontalis*, 6, var. *Kasteni*, 6, var. *Kosteri*, 6, var. *prostrata*, 6, var. *pyramidalis* Hilli, 2, var. *pyramidalis* Hilli, 2; var. *reptans*, 6
- Juniperus virginiana*-*Quercus Muhlenbergi* Association at Arboretum, 170, 171
- K
- Kansas: an *A-throxylon* specimen from, 205; calamitean stems from, 198; coal-ball fossils found in, 127, 173, 189; southeastern, Study of the arborescent *Lycopods* of, 263
- L
- Lagenostoma ovoides*, 131
- Lepidocarpon*, 181; *Lomaxi*, 131; *magnificum*, 131; *wildianum*, 131
- Lepidodendron*, 181, 263; *aculeatum*, 272, 277; *boylensis*, 263; *brevifolium*, 268; *dicentricum*, 269, 273, 274, 282, 284; *fuliginosum*, 278; *hallii*, 263, 278; *Hickii*, 275; *Johnsonii*, 263, 278; *kansanum*, 263, 264, 280, 286; *novalbaniense*, 263; *scleroticum*, 263; *selaginoides*, 271, 273; *serratum*, 276, 286, 288; *sternbergi*, 272, 276; *Wilsonii*, 263, 278; *vasculare*, 263, 275, 282, 284; *Veltheimianum*, 274; *wilsonii*, 263, 278
- Lepidophloios*, 278; *Wüschianus*, 267, 271
- Leptocaryon*, 134
- Levant, the tomato in the, 290
- Licopersicon Galeni*, 293
- Liebesäpfel*, 297
- Lilium* pollen, treatment of *Petunia* ovaries with, 98
- Love Apple, 295; origin of name, 295, 338; "Tree", 319
- Lycopersicon*, 296; *esculentum*, 308
- Lycopersicum esculentum*, 309, treatment of *Petunia* ovaries with, 98, var. *cerasiforme*, 309, var. *pyriforme*, 309, var. *typicum*, 309
- Lycopersion*, 294; *Galenii*, 294
- Lycopods*, 131, arborescent, A study of the, of southeastern Kansas, 263
- Lyginopteris*, 272
- M
- Maize: floral morphology of, 65; glumes from different varieties, 72-79; staminate spikelet, 70; prehistoric tassel material, 70, 70, 80, 81, 82; variation of spikelet characters, 86, 87, 89; varieties studied, 93, measurements of characters in, 94-96
- Maize: Basketmaker's, 88; Bolivian, 69; Caribbean, 77; Central American, 77; "El Capulin," 79; North American, 77; Northern Flint varieties, 69; Oriental, 77; "Papago," 79; South American, 69, 77
- Mala aurea*, 292
- Malum Appium*, 294; *roseum*, 294
- Malus aureus*, 300; *insanus*, 294
- Mandragoras*, 292
- Mandrake*, 292
- Mass collections: of *Juniperus*, 1; of *Uvularia*, 219
- McClary, Dan Otho: Factors affecting the morphology of *Candida albicans*, 137
- McCue, George Allen. The history of the use of the tomato: an annotated bibliography, 289
- McQuade, Henry A. The induction of parthenocarp in *Petunia*, 97
- Mazocarpon oedipternum*, 131
- Media used in study of *Candida albicans*, 141: chemicals in, 152; consistence of, 149, 157; hydrogen ion concentration of, 144, 155; natural, 153; nutrients in, 145, 155
- Medicinal properties: of pokeweed, 118; of the tomato, 294
- Mediterranean, eastern, history of the use of the tomato in, 329
- Medullosa*, 181
- Meramec River, investigation of gravel bar on, 249
- Microdistribution of pokeweed, 118
- Missouri Botanical Garden Arboretum: field study of pokeweed at, 118, 119; Forest quadrat studies at the, 165
- Monilia candida*, 137, 138
- Morelle Pomme d'Amour, 312

Morphology: of *Candida albicans*, Factors affecting, 137; of *Juniperus Ashei* and *J. virginiana*, 16; floral, of Indian corn, 65
Mycoderma vini, 137

N

New York state, distribution of pokeweed in, 116, 117
Nicotiana pollen, results of treating *Petunia* ovaries with, 99
 Nutrients in media, influence of, on growth of *Candida albicans*, 145, 155

O

Oak coppice association at Arboretum, 165, 166
 Oak-Hickory association at Arboretum, 167, 168
Oidium albicans, 137
 Orchid pollen, treatment of *Petunia* ovaries with, 98
 Oklahoma, *Juniperus* in, 9, 54
 Ozark region: forest succession in, 172; gravel bars in streams of, 249; *Juniperus* in the, 9, 54

P

Paleobotany, 127, 173, 189, 263
 Papago corn, 79
 Parthenocarpy in *Petunia*, The induction of, 97, by various pollens, 97, with 2, 4-D, 99, with X-rays, 102, with pollen from X-rayed anthers, 106
 Perfoliate *Uvularias*, Variation in, 219
 Petrified Calamitean stems, Some American, 189
Petunia, The induction of parthenocarpy in, 97: by foreign pollens, 97, 112; by 2, 4-D, 99, 112; with irradiated pollen, 104, 112
 Phenol in medium, effect of, on growth of *Candida albicans*, 151
 Philadelphus, treatment of *Petunia* ovaries with pollen of, 98
Phytolacca americana: distribution of, in eastern North America, 113, 115, in New York state, 116, in areas of recent introduction, 117; ecology of, 115; field study of, at Missouri Botanical Garden Arboretum, 118, 119; seed dispersal and variability, 123; soil conditions affecting, 121
Phytolacca americana, 113; *decandra*, 113; *rigida*, 113
 Pictorialized scatter diagrams of populations, variations expressed by, 227: of *Juniperus virginiana* and *J. Ashei*, 40,

41-44, 46-48, 50, 52; of the perfoliate *Uvularias*, 245
 Platt National Park, *Juniperus* in, 9, 54
 Playa Miller Excavation, Chile, prehistoric maize material from, 77, 80, 81, 82
 Poisonous properties of tomato, 293
 Pokeweed, A geography of, 112—see also *Phytolacca americana*
 Pollen: irradiated, effects induced with, 104; foreign, treatment of *Petunia* ovaries with, 97
 Polypodiales, classification of, 260
Pom amoris, 320
Poma amoris, 292; *aurea*, 302
Pomi di Ettiopia, 293
Pomi d'oro, 292
Pomidor, 333
Pomidoro, 297
Pomme d'amour, 296; *Dorée*, 311; *d'oro*, 297
Pomodoro, 292
Pomum amoris, 293, origin of name, 295; *Aureum*, 299; *de Oro*, 302; *Indum*, 302
 Population: samples of *Uvularia*, 227; study of *Juniperus*, 5, 15; of *J. Ashei* and *J. virginiana*, 49
 Prehistoric corn, 66, 69, 77, 80, 81, 83, 84, 88
 Pteridology, 255
Pyra insana, 294

Q

Quadrat studies, forest, at Arboretum, 165
Quercus alba, 165, 168; *stellata*, 168; *Muhlenbergi*, 170
 Quiani excavations, Chile, prehistoric maize material from, 80, 81
 Quilombo, 331

R

Radiation: effect of, on seed development of *Petunia*, 104
 Red Cedar, see *Juniperus virginiana*
 Red Cedar-Chinquapin Association at Arboretum, 170, 170, 171
 Reed, Fredda D. *Arthroxyton*, a redefined genus of Calamite, 173
Rhabdocarpus, 131

S

Saccharomyces albicans, 137
Salix carolinianan, 252; interior, 252; *longifolia*, 252; *longipes* var. *Wardi*, 252; *nigra*, 252
Salpiglossis pollen, treatment of *Petunia* ovaries with, 99

- Sauer, Jonathan D. A geography of pokeweed, 113
 Seeds: fossil, 127; of *Juniperus*, 64
Selaginella gametophyte, fossil, 131
 Shelter belt plantings of *Juniperus*, 3
Sigillaria spinulosa, 272
 Sketch of the history of Fern classification, A, 255
 Soil: relation of pokeweed distribution to, 121; at Arboretum, 165
Solanum, 295; *furiosum*, 294; *Lycopersicon*, 306; *Lycopersicum*, 297
 South Pacific, history of the use of the tomato in the, 348
 Southwest, *Juniperus* in the, 1
 Spain and Portugal, history of the use of the tomato in, 327
Sphenophyllum, 181
 Spikelet variation in Zea Mays, 65, 86, 87, 89
 Stems, fossil, 173, 189
Stephanospermum, 131
Stigmara, 181, 268
 Sugar Maple-White Oak Association at Arboretum, 168, 169
Syringospora Robinii, 137
 Succession, forest, observations on, at Arboretum, 165

T

- Tassels of Zea Mays, 70, 77; variation in, 79
 Taxonomy: history of fern classification, 255
Taxospermum, 131
 Temperature, effect of, on growth of *Candida albicans*, 148, 157
 Tomato, 329
 Tomata, 330
 Tomaté, 297
 Tomati, 297
 Tomato, The history of the use of, An annotated bibliography, 289: culinary uses, 292; as a drug, 294; as an ornamental, 294; grafted on potato, 324, 346; poisonous properties, 293; preservation of, 306
 Tomato: cherry, 317; Feejee, 348; Fiji Island, 347; Trophy, 348
 Tryon, Rolla M., Jr. A sketch of the history of fern classification, 255
 Tumale, 301
 Tumatile, 294
 Turks, use of the tomato by the, 290

- Two, 4-D, treatment of *Petunia* ovaries with, 99, in lanolin, 101, in talc, 101, in water, 101

U

- Ulmus americana*, 253; *fulva*, 253
 United States, history of the uses of the tomato in, 335
Uvularia, 219; *flava*, 225, 226, 227; *floridana*, 237; *grandiflora*, 219, 221, 224, 237, distribution of, 223; vesture types, 227; *perfoliata*, 219, 220, 223, 237, distribution of, 222; *puberula*, 225, 237, var. *nitida*, 237; *pudica*, 226; *sessilifolia*, 237
Uvularias, *perfoliate*: capsule types, 226; collections charted, 229, 239, 245-247; collections uncharted, 234; comparison of the two species, 224; general characteristics, 220; distribution of, 222, 223; history of, 225; pictorialized scatter diagrams of, 227, 245-247; Variation in the, 219; vesture types, 227

V

- Variation: and hybridization in *Juniperus*, 1; in the *perfoliate Uvularias*, 219, 227, 235, expressed by pictorialized scatter diagrams, 227, 245-247; of spikelet in Zea Mays, 65, 86, 87, 89; morphological, in *Candida albicans*, 139
 Vegetables, succulent, see Tomato

W

- Water Willow, 253
 Weeds, importance of study of, 113, 289
 West Indies, history of the use of the tomato in, 333
 White Oak-Sugar Maple Association at Arboretum, 168, 169
 Willows on a gravel bar, 252

X

- X-rays, results of treating *Petunia* ovaries with, 102, 112
 X-rayed anthers of *Petunia*, parthenocarpy induced with pollen from, 106

Y

- Yeast-like fungi, 137

Z

- Zea amylacea*, 65; *everta*, 65; *indentata*, 65; *indurata*, 65; Mays, Spikelet variation in, 65; *saccharata*, 65; *tunicata*, 65